Fuseini, A. (2019). The Brain, Unconsciousness and Death: A Critical Appraisal with Regard to Halal Meat Production. *Animal Welfare*, 28(2), 165-171. <https://doi.org/10.7120/09627286.28.2.165>

Peer reviewed version

Link to published version (if available):
[10.7120/09627286.28.2.165](https://doi.org/10.7120/09627286.28.2.165)

[Link to publication record in Explore Bristol Research](#)
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via UFAW at <https://www.ingentaconnect.com/content/ufaw/aw/2019/00000028/00000002/art00005> . Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/ebr-terms/>

The brain, unconsciousness and death: A critical appraisal with regard to Halal meat production.

A Fuseini

University of Bristol, School of Veterinary Science, Langford, Bristol BS40 5DU, UK

Correspondence: awalfus@yahoo.com

Abstract

Muslims derive their dietary laws from the *Quran* (Islamic Holy Book) and other Islamic scriptures. These religious scriptures prohibit them from consuming meat from animals that die before they are bled-out. Some Muslim authorities have interpreted this to mean that, in addition to the animal being alive, it must also be conscious prior to neck-cutting. This has led to a section of the Muslim community rejecting pre-slaughter stunning for halal meat production with the belief that all forms of stunning lead to instantaneous death. It must be noted that some jurists have debunked claims that animals must be conscious before they are bled-out because it does not appear to be mentioned anywhere in the scriptures. This paper reviews literature on the role of the brain in the control of conscious perception and death, and considers the different scholarly definitions of death and how these impact the interpretation of the halal slaughter rules and the impact on animal welfare.

Keywords

Animal Welfare; Consciousness; Unconsciousness; Death; Bleeding-out; Halal slaughter.

1. Introduction

Halal meat is that which is permissible for consumption by Muslims (Hussaini and Sakr, 1983; Kamali, 2008). Some Muslims hold a belief that there is a spiritual element to the consumption of such meats because Muslims consider it as a form of obeying God's commandments (Regenstein, Chaudry and Regenstein, 2003; Fuseini, Wotton, Hadley, Knowles, 2017a). For meat to be considered halal, it must be derived from specific animals slaughtered in line with

rules enshrined in the *Quran* and other religious scriptures (Nakyinsige, Che Man, Sazili, 2012; Fuseini, 2017). It is the duty of Islamic Jurists to interpret the scriptures pertaining to the acceptability of different slaughter methods for halal meat production. The criteria used for the interpretation of the scriptures have been extensively reviewed and published (Esposito, 2015; Fuseini, Knowles, Lines, Hadley, Wotton, 2016a). Islamic jurists however have differences of opinion when it comes of their interpretations of the scriptures (see Regenstein et. al., 2003; Fuseini et. al., 2017a), this has meant that whilst some Muslims may recognise some aspects of slaughter (e.g. pre-slaughter stunning) as halal, others may not necessarily approve it as such. To gauge the level of Islamic scholarly understanding and perception of stunning, Fuseini et. al. (2017b) carried out a survey of Islamic scholars and halal consumers in the UK, they surveyed 66 scholars and 314 halal consumers. On the perception of stunning, they found that 69% of scholars did not think stunning is capable of reducing or abolishing the pain associated with the neck-cut, whilst 58% of the scholars indicated that they were not convinced that some methods of stunning were reversible hence they put a blanket ban on all forms of stunning. On the acceptability of stunning, over 95% of the scholars indicated that stunning would be halal-compliant if it could be shown that the procedure did not result in instantaneous death.

It has been reported that the majority of Muslims, if given the option, would choose meat from animals slaughtered without stunning (EBLEX, 2010) despite the contentious nature of this method of slaughter (Gregory, 2005). From an animal welfare standpoint, the slaughter of animals without stunning has been shown to compromise their welfare due to the pain associated with the neck-cut (Gibson et. al., 2009) and the latency of the onset of unconsciousness (Gregory, Fielding, von Wenzlawowicz, von Hollenben, 2010). This situation is further exacerbated during the slaughter of cattle, because of the risks of false aneurysms developing at the cut ends of the carotid arteries and the fact that cattle have a secondary pair of arteries (vertebral arteries) which are left intact after a ventral neck cut (Gregory et. al.,

2008). It must be reiterated that other researchers have cast doubt over the humaneness of some methods of stunning (Zivotofsky and Strous, 2012) and others insist that slaughter without stunning is equally a humane procedure (Grandin and Regenstein, 1994; Rosen, 2004).

Stunning is now widely accepted in many Muslim-majority countries (e.g, The UAE, Saudi Arabia, Malaysia, Indonesia etc). However, there is less clarity as to which methods of stunning are acceptable due to confusion as to the true definition of death. While some authorities accept irreversible stunning based on the presence of a beating heart, others are of the view that only reversible stunning should be approved. This paper considers the role of the brain in consciousness, unconsciousness and death. It further highlights the two main definitions of death; neurocentric and cardiorespiratory, and how these definitions affect the interpretation of the halal rules by Islamic jurists.

2. The Brain

The brain is one of the most important organs in both human and non-human animals, involved in the control of perception, awareness and conscious experience (Revonsuo & Kamppinen, 1994). For the purpose of assessing and confirming death, the brain stem is one of the most important structures in the brain (Saposnik et.al., 2009). It is positioned posteriorially to the brain and it consists of the medulla oblongata, the pons and the midbrain. Its main functions include; control of breathing, circulation and digestion. The brain stem is also involved in the control of sensory and motor nerves. Damage to the brain stem or its permanent loss of function can be catastrophic in that the human or non-human animals could be diagnosed as dead (Conference of Medical Royal College and their faculties in the UK, 1976). Another structure of the brain of significant importance for the slaughter of animals is the cerebral cortex. It makes up about 80% of the brain and it is divided into 4 lobes; frontal, temporal, occipital and parietal lobes. Fischl et. al. (2004) carried out an automatic parcellation of the cerebral cortex to identify the various lobes and specific points in the cortex and their functions. The authors

identified the parietal lobe as an important structure for the control of consciousness. For the purpose of stunning and slaughter of food animals, the parietal lobe therefore plays a significant role. It houses the somatosensory cortex which processes sensory information and the motor cortex which sends out motor information. It has been reported that during penetrative captive bolt stunning, unconsciousness is caused through the transfer of kinetic energy from the bolt to the head which results in a differential movement of the skull and brain (Daly and Whittington, 1989). The subsequent penetration of the bolt into the skull and the gross destruction of the brain prevents the recovery of animals (Gibson et. al., 2012). Gibson et. al. (2015) stunned alpacas with penetrative captive bolt guns and observed that contrary to previous findings in other species, unconsciousness in alpacas depended on the level of destruction of certain structures (direct physical trauma) in the brain and not mainly on the differential movement of the skull and the brain. The authors explained that successful stunning in alpacas was achieved by damaging the parietal and occipital lobes, the brain stem and the thalamus.

It must be noted that while behavioural indicators can be used under commercial conditions to assess consciousness/unconsciousness, it is difficult to diagnose death of animals subjectively under commercial conditions in an abattoir. This therefore makes it almost impossible for halal certification bodies to identify animals that may die on the slaughter line before neck-cutting. The next two sections of this paper explains unconsciousness and death with regard to halal meat production.

3. Unconsciousness

Unconsciousness can be defined as the loss of sensibility or awareness. When used in relation to the slaughter of food animals, stunning is usually employed to induce unconsciousness through the disruption of neural communication, this can be followed by neck-cutting to ensure prompt and sufficient blood loss and death (Anil, 2012). Terlouw et. al. (2016a) reported that

during slaughter of animals, unconsciousness usually precedes death regardless of whether animals were stunned prior to neck-cutting or not. The authors explained that during slaughter without stunning, the loss of blood for a certain period of time induces unconsciousness and subsequently death, whilst stunning prior to neck-cutting can induce immediate loss of consciousness (e.g. during electrical or mechanical stunning) or progressive loss of consciousness (during controlled atmosphere stunning). Neural communication and the mechanism of induction of unconsciousness during stunning has been widely published (Anil, 2012; Fuseini et. al., 2018). Fuxe & Agnati (1991) and Kam & Power (2012) explained that the brain is made up of billions of cells (neurons) and that these neurons communicate between each other through the transfer of chemicals (neurotransmitters) from one cell (pre-synaptic neuron) to the other (post-synaptic neuron) in a synchronised manner. Any intervention which results in the disruption of the equilibrium of neurotransmitters (e.g. the passage of electricity through the brain) can cause brain dysfunction and the induction of unconsciousness. Raj (2003) explained that neurotransmitters are categorised into excitatory (e.g. glutamate) and inhibitory (e.g. GABA-gamma amino butyric acid) amino acid neurotransmitters and that slight changes in the equilibrium of these chemicals can lead to arousal and depression. Cook and colleagues reported that the application of 1 Amp of current for 4 s (to the brain) was capable of disrupting the equilibrium established by excitatory-inhibitory neurotransmitters to induce unconsciousness. Mechanical stunning (e.g. penetrative and non-penetrative captive bolts) on the other hand induces unconsciousness by concussion. This is achieved through the transfer of kinetic energy from the bolt to the head/skull (Farouk, 2013) resulting in the differential movement of the skull and the brain. In addition to inducing unconsciousness, penetrative captive bolts cause physical destruction of the brain to prevent the recovery of animals. There is sufficient evidence to suggest that, when applied correctly, stunning is a reliable means of rendering animals unconscious (Wotton et. al., 2000, Gibson et. al., 2009, Robins et. al.,

2014, Wotton et. al., 2014). It is however important to ensure that animals are continuously monitored after stunning and throughout the bleeding-out period to ensure that they are effectively stunned, this must be maintained until death supervenes through sufficient blood loss. Berg et al. (2013a) noted that an effective electric stun results in tonic seizure in the brain. In birds, it is characterised by stiffness of the neck, the tightly held wings in close proximity of the body. The authors further noted that after an effective electric stun, there is absence of breathing, fixed eyes and the absence of vocalisation and corneal reflex. Effective captive bolt stunning results in fixed eyes and the absence of palpebral, corneal and pupillary reflexes (Berg, 2013b). Under laboratory conditions, unconsciousness can be measure using electroencephalogram (EEG) or electrocorticogram (ECOG) (see Lambooij, 1994; Anil, Raj, & McKinstry, 2000). An ineffectively stunned animal will vocalise, show spontaneous blinking, presence of righting reflex, failure to lose posture, presence of rhythmic breathing and others.

However, despite the overwhelming evidence that stunning is capable of inducing unconsciousness to abolish the pain associated with the neck-cut, many religious authorities are still insistent on animals being slaughtered without any form of stunning. Animal welfare surveys carried out in licensed abattoirs in Great Britain by the UK's Food Standards Agency (FSA, 2012; 2015) indicated that all animals slaughtered during Shechita (slaughter by Jews) were not stunned whilst the majority of halal meat produced in Great Britain was derived from animals stunned before slaughter. Of animal welfare concern is the 20-30% and 100% of animals slaughtered without stunning during halal and shechita slaughter respectively. In their survey of the attitudes of Islamic scholars and halal consumers towards stunning, Fuseini et. al. (2017b) reported that some scholars were of the view that the animal must be conscious at the time of neck-cutting to be able to hear the tasmiyyah (a short prayer) being recited just before or during neck-cutting. It must be reiterated that the Islamic scriptures are consistent in

the requirement for animals to be alive at the time of neck-cutting, however, there do not appear to be any *Quranic* verses or other scriptures requiring animals to be conscious. Proponents of stunning for halal meat production are of the view that since the scriptures only require animals to be alive (not conscious) at the time of neck-cutting, stunning is permissible as long as it does not result in the death of animals before neck-cutting (MS1500, 2009; MUI HAS 23103, 2012; HFA, 2014; Fuseini et. al., 2017b).

4. Death

Advancement in the field of neuroscience has led to refinement in the ancient cardiorespiratory (death based on the absence of a heartbeat) based definition of death to a neurocentric (death based on irreversible loss of brain function) one (Laureys, 2005). Laureys (2005) pointed out that the first person to suggest neurocentric diagnosis of death in man was a medieval Judaism intellectual by name Moses Maimonides (1135-1204). According to Laureys, Maimonides argued that convulsions in decapitated humans did not signify the presence of central control despite the presence of a beating heart. However, Orban et. al. (2015) implied that care must be taken when defining death based on the 'brain' because it can sometimes be misleading to the family of the dead and they may interpret it to mean there is a difference between brain death and actual death. Further, the presence of spinal reflexes in braindead 'patients' can cause distress to family members who may not agree with the diagnosis of death due to the presence of limb movement. Earlier application of neurocentric diagnosis of death in man was probably done in Europe in the 1950s (Wertheimer. et. al., 1959), since then, advancement in neuroscience has led to refinement in the procedure. Despite these advancements in neuroscience, there is still no universally agreed criteria for the assessment of death in humans, and there are differences in the way different countries define death. Wijdicks (2002) carried out an extensive literature review of the criteria for the assessment of death in 80 countries and concluded that 10 of the 80 countries did not have formal guidelines for the assessment of death

in humans. Further, the author reported that whilst the United States of America and Canada define death as the irreversible loss of function of the entire brain (including the brainstem), the United Kingdom and some EU member states define death as the irreversible loss of function of only the brainstem and not the entire brain. In many parts of the world, when an adult 'patient' is suspected of being brain dead, confirmatory tests are mandatory whilst this is optional in some parts of the world including the United States. Wijdicks (2010) reported that these confirmatory tests are categorised into 2; the first involves assessing the electrical activity of the brain whilst the second involves measuring cerebral blood flow. Electroencephalographic (EEG) recordings are useful in assessing the electrical activity of the brain or the absence of cerebral hemisphere function (Plum and Posner, 1972) whilst brain blood flow tests can be done with magnetic resonance angiogram, transcranial Doppler ultrasonographic scan, CT angiogram and others. As stated above, it must be emphasised that from halal slaughter point of view, it is virtually impossible to assess whether an unconscious (stunned) animal has died or otherwise prior to the neck-cut under commercial conditions. It is therefore vital that stunning systems approved for halal slaughter must not affect normal cardiac rhythm, further, such stunning systems should not cause physical damage to the brain (see Halal Food Authority Standard, HFA 2014).

Similar to the medical profession, there appear to be no universally agreed definition of death within the Islamic scholarly fraternity. Pernick (1988) reported that in ancient Egypt and Greece, the presence of a beating heart was associated with vital spirits, and death was diagnosed based on the absence of a beating heart. Despite the advancement in neuroscience and the redefinition of death in the medical field in recent years, it appears some communities still define death based on the absence of a beating heart. Grandin (2015) indicated that some religious authorities define death of animals as the absence of a heartbeat, this view is shared by Fuseini and others (2016b). This is not surprising against the background that at the time

the religious scriptures were revealed over 1400 years ago, neurology was either not a branch of science or it was still in its infancy, and death would not have been defined based on the irreversible loss of function of the brain stem at that time. The failure of Islamic scholars to agree a unified definition or assessment of death has meant that some halal certification bodies accept irreversible stunning methods (e.g. penetrative and non-penetrative captive bolt stunning, controlled atmosphere stunning etc.) as long as there is a beating heart in the animal. Grandin (2015) however pointed out that if death is defined based on the absence of a beating heart, then both penetrative and non-penetrative captive bolt stunning may be used for halal because the heart can continue to beat for 8 to 10 minutes after stunning (although some animals would be brain dead). In a different study, Jerlstrom (2014) reported that cardiac fibrillation was induced after 5 minutes and 45 seconds in cattle whilst pigs took almost 3 minutes for the heart to stop functioning. The author concluded that death in animals should not be based on the irreversible loss of brain function alone, but should take into consideration both the loss of brain function and cardiac arrest. Fuseini et. al. (2016b) looked at the different criteria used by halal certification bodies to identify and remove animals that may die before the ritual cut, the authors concluded that the criteria used by the halal authorities were not reliable in assessing death. Islamic scholars need to agree a more reliable definition of death. However, even if they decide to adopt the medical definition of death based on irreversible loss of brain function, assessing the death of animals as a result of stunning, prior to neck-cutting will be impossible under commercial condition. A more practical definition will be the one suggested by Jerlstrom (2014).

5. Halal-compliant methods of stunning based on the definition of death

Historically, and up until the 19th century, Muslims and non-Muslims slaughtered animals without any form of stunning because stunning had not been discovered. Proponents of religious slaughter without stunning insist that this method is of high spiritual significance

because it is the method that was practiced by the Prophet of Islam (Farouk et. al., 2014). Others argue that at the time of the Prophet, stunning had not been discovered so he could not have used a technology that was not in existence (Fuseini et. al., 2016a). Farouk, Pufpaff and Amir (2016) reported that for stunning to comply with the halal rules, 3 main criteria must be met; the animal must remain alive before neck-cutting, the stunning itself must not be painful or cause any distress and the stunning method must not adversely affect the volume of blood loss. Yaqoob (2010) explained that the religious scriptures emphasise *Ihsaan* (humaneness or proficiency) during halal slaughter, therefore if stunning is objectively shown to reduce or abolish the pain associated with neck-cutting, then it should be promoted for halal meat production. Proponents of stunning for halal meat production generally accept head-only electrical stunning (Anil et. al., 2006) because these methods of stunning do not usually affect normal cardiac rhythm and therefore unlikely to cause the death of animals before neck incision due to the continued supply of oxygenated blood from the heart to the brain. During head-only electrical stunning, electrodes are placed on the head and current applied to traverse the brain in order to induce unconsciousness. However, depending on the definition of death adopted by Islamic jurists; whether based on neurocentric, cardiorespiratory death or a combination of both, irreversible stunning may be acceptable to some Muslims. Where death is defined based on cardiorespiration, both penetrative and non-penetrative captive bolt stunning may be used for halal meat production because they will not stop the heart. As highlighted above, this is because although these methods of stunning may result in brain death, the heart can keep pumping for up to 10 minutes. In fact penetrative captive bolt stunning is widely used in some parts of Europe during halal meat production (Berg and Jakobsson, 2007; FSA, 2012; 2015) and the use of non-penetrative captive bolt stunning is also approved for the slaughter of cattle by some Muslim-majority countries such as Malaysia (see Malaysian halal standard MS1500, 2009) and the Gulf Cooperation Council, which includes Saudi Arabia, UAE, Qatar, Bahrain,

Oman and Kuwait (see GSO 993 halal standard). The author of this paper previously worked in halal certification in England and he is aware of the use of controlled atmosphere stunning for the slaughter of halal poultry in England, Germany and the Netherlands. Halal certification bodies who approve irreversible stunning do so on condition that there is a beating heart whilst those who approve reversible stunning are of the view that the animal must be alive at the time of neck-cutting. In some countries, demonstration of reversibility of the stunning method is required by the halal certification bodies (e.g. Halal Food Authority, UK) before approval.

6. Animal welfare implications

The lack of clarity on the halal slaughter rules has meant that thousands of animals are slaughtered without stunning, with the belief that this method of slaughter is of the highest spiritual quality because it is the only method that was practiced by the Prophet of Islam. There are increasing number of Islamic jurists who approve stunning on condition that the method of stunning must not cause the death of animals before exsanguination. However, among the proponents of stunning, there is a disagreement as to the meaning of death. Those who define death based on the absence of a beating heart continue to approve all forms of stunning, including reversible and irreversible methods of stunning. On the other hand, those who base their definition on irreversible loss of brain function are of the view that irreversible stunning methods are not acceptable because they will eventually cause the death of animals albeit not instantaneous.

To safeguard the welfare of animals during halal slaughter, Islamic jurists need to agree on the rules of halal slaughter. If indeed the halal rules do not require animals to be conscious during exsanguination, then some forms of stunning may meet the requirements of halal slaughter (e.g. electrical head-only stunning) in order to protect animal welfare. Islamic jurists also need to agree a definition of death so that there will be clarity on acceptable methods of stunning for halal meat production.

7. Conclusion

The requirements of halal slaughter continue to confuse meat processors, animal science researchers and halal meat consumers due to differences of opinion regarding some aspects of the rules. The rules require animals to be alive at the time of neck-cutting but there appear to be no consensus on the correct definition and assessment of death within the Muslim community. At the time the religious slaughter rules were written some 1400 years ago, no one knew about the function of the brain stem so death was probably defined based on the absence of a beating heart. However, advancement in the field of neuroscience has meant that death in humans is now defined based on the irreversible loss of function of the brain. Whilst some Muslims have overcautiously approved head-only stunning because it neither causes brain death or cardiac arrest, others have opted for penetrative and non-penetrative captive bolt stunning as long as there is still a beating heart before neck-cutting. On the other side of the debate are those who insist on approving the slaughter of conscious animals although the scriptures do not appear to command Muslims to slaughter animals while they are fully conscious. Slaughter without stunning was the method used by the Prophet of Islam, but one may argue that at that time electricity had not been discovered so there was no way the Prophet would use electrical stunning and mechanical stunning had not been discovered at that time. Proponents of halal stunning need to agree unified definition of death, this will provide clarity as to which methods of stunning should be approved for halal meat production. The current situation has resulted in several halal standards which confuses halal consumers and abattoir operators as to the true definition of halal slaughter.

Acknowledgement

The author acknowledges the support of the Humane Slaughter Association (HSA) through an Animal Welfare Research Training (PhD) Scholarship and also the support of AHDB Beef and Lamb.

8. References

- Anil H 2012 Effects of slaughter method on carcass and meat characteristics in the meat of cattle and sheep. EBLEX, Stoneleigh Park, Warwickshire, UK.
- Anil MH, Raj ABM, and McKinstry JL 2000 Evaluation of electrical stunning in commercial rabbits: effect on brain function. *Meat Science* 54: 217-220.
- Anil MH, Yesildere T, Aksu H, Matur E, McKinstry JL, Weaver HR, Erdogan O, Hughes S, and Mason C 2006 Comparison of Halal slaughter with captive bolt stunning and neck cutting in cattle: Exsanguination and quality parameters. *Animal Welfare* 15: 325-330.
- Revonsuo M and Kamppinen M. 1994 consciousness in philosophy and cognitive neuroscience. Ed. Revonsuo M & Kamppinen M. Lawrence Erlbaum Associates Inc. Publishers, New Jersey, USA.
- Berg C, and Jakobsson T 2007 Post-cut stunning at religious slaughter. *Svensk Veterinartidning* 59: 21-28.
- Berg AE, Bøtner CA, Browman H, Capua I, de Koeijer A, Depner K, Domingo M, Edwards S, Fourichon C, Kononen F, More S, Raj M, Sihvonen L, Spoolder H, Stegeman JA, Thulke HH, Vågsholm I, Velarde A, Willeberg P and Zientara S, 2013a Scientific Opinion on monitoring procedures at slaughterhouses for poultry. *EFSA Journal* 11(12):3521
- Berg AE, Bøtner CA, Browman H, Capua I, de Koeijer A, Depner K, Domingo M, Edwards S, Fourichon C, Kononen F, More S, Raj M, Sihvonen L, Spoolder H, Stegeman JA, Thulke HH, Vågsholm I, Velarde A, Willeberg P, Zientara S, 2013a Scientific Opinion on monitoring procedures at slaughterhouses for bovines. *EFSA Journal* 11(12):3460.
- Conference of Medical Royal Colleges and their Faculties in the UK 1976 Diagnosis of brain death. *British Medical Journal*, ii, 1187–1188.

Cook CJ, Devine CE, Gilbert KV, Smith DD, and Maasland SA 1995 The effect of electrical head-only stun duration on electroencephalographic-measured seizures and brain amino acid neurotransmitter release. *Meat Science* 40: 137-147.

Daly CC, and Whittington PE 1989. Investigation into the principal determinants of effective captive bolt stunning of sheep. *Research in Veterinary Science* 46(3): 406–408.

EBLEX 2010 Report on the Halal meat market: Specialist supply chain structures and consumer purchase and consumption profiles in England by the English Beef & Lamb Executive. www.qsmbeefandlamb.co.uk/halal (accessed, 23/05/2018).

Esposito J 2015 Ijtihad. The Islamic World: Past and present. Oxford University Press, Oxford, UK.

Farouk MM 2013 Advances in the industrial production of halal and kosher red meat. *Meat Science*, 95: 805-820.

Farouk MM, Al-Mazeedi HM, Sabow AB, Bekhit AED, Adeyemi KD, Sazili AQ, and Ghani A 2014 Halal and kosher slaughter methods and meat quality: A review. *Meat Science* 98: 505-519.

Farouk MM, Pufpaff KM, and Amir M 2016 Industrial halal meat production and animal welfare: A review. *Meat Science* 120: 60-70.

Fischl B, Kouwe A, Destrieux C, Halgren E, Ségonne F, Salat DH, Busa E, Seidman LJ, Goldstein J, Kennedy D, Caviness V, Makris N, Rosen B, and Dale AM 2004 Automatically Parcellating the Human Cerebral Cortex. *Cerebral Cortex* 14: 11–22.

FSA 2012 Food Standards Agency, results of the 2011 FSA Animal Welfare Survey in Great Britain. Open Board 22 May 2012. <http://www.food.gov.uk/sites/default/files/multimedia/pdfs/board/fsa120508.pdf> (accessed 16/05/2018).

FSA 2015 Food Standards Agency, results of the 2013 FSA Animal Welfare Survey in Great Britain. <http://www.food.gov.uk/sites/default/files/2013-animal-welfaresurvey.pdf> (accessed 16/05/2018).

Fuseini A, Knowles TG, Lines JA, Hadley PJ, and Wotton SB 2016a The stunning and slaughter of cattle within the EU: a review of the current situation with regard to the halal market. *Animal Welfare* 25: 365-376.

Fuseini A, Knowles TG, Hadley PJ, and Wotton SB 2016b Halal stunning and slaughter: Criteria for the assessment of dead animals. *Meat Science* 119: 132-137.

Fuseini A 2017 Halal food certification in the UK and its impact on food businesses: a review in the context of the European Union. *CAB Reviews* 12: 1-7.

Fuseini A, Wotton SB, Hadley PJ, and Knowles TG 2017a The compatibility of modern slaughter techniques with halal slaughter: a review of the aspects of 'modern' slaughter methods that divide scholarly opinion within the Muslim community. *Animal Welfare* 26: 301-310.

Fuseini A, Wotton SB, Hadley PJ, and Knowles TG 2017b The perception and acceptability of pre-slaughter and post-slaughter stunning for Halal production: The views of UK Islamic scholars and Halal consumers. *Meat Science* 123: 143-150.

Fuseini A, Teye M, Wotton SB, Lines JA, and Knowles TG 2018 Electrical water bath stunning for Halal poultry meat production: Animal welfare issues and compatibility with the Halal rules. *CAB Reviews* (In-Press).

Fuxe K & Agnati LF 1991 Volume transmission in the brain: Novel mechanisms for neural transmission. Raven Press, New York, p602.

Gibson T, Johnson CB, Murrell JC, Hulls CM, Mitchinson SL, & Stafford KJ 2009 Electroencephalographic responses of halothane-anaesthetised calves to slaughter by ventral neck incision without prior stunning. *New Zealand Veterinary Journal* 57(2): 77-83.

Gibson TJ, Ridler AL, Lamb CR, Williams A, Giles , & Gregory NG 2012 Preliminary evaluation of the effectiveness of captive-bolt guns as a killing method without exsanguination for horned and unhorned sheep. *Animal Welfare* 21: 35–42.

Gibson TJ, Whitehead C, Taylor R, Sykes O, Chancellor NM, and Limon G 2015 Pathophysiology of penetrating captive bolt stunning in Alpacas (*Vicugna pacos*). *Meat Science* 100: 227-231.

Grandin T 2015 Questions about death of the animal when different stunning methods are used before Halal or Kosher Slaughter. <http://www.grandin.com/ritual/questions.diff.stun.methods.html> (Accessed, 04/06/2018)

Grandin T, and Regenstein JM 1994 Religious slaughter and animal welfare: A discussion for meat scientists. *Meat Focus International* 3: 115-123.

Gregory NG 2005 Recent concerns about stunning and slaughter. *Meat Science* 70(3): 481-491.

Gregory NG, von Wenzlawowicz M, Alam RM, Anil HM, Yesildere T, and Silva-Fletcher A 2008 False aneurysms in carotid arteries of cattle and water buffalo during shechita and halal slaughter. *Meat Science* 79: 285-288.

Gregory NG, Fielding HR, von Wenzlawowicz M, von Hollenben K 2010 Time to collapse following slaughter without stunning in cattle. *Meat Science* 85: 66-69.

Halal Food Authority 2014 Halal Food Authority (HFA) Halal standard, Revised, 2014, 1–50.

Hussaini MM, and Sakr AH 1983 Islamic dietary concepts and practices. The Islamic Food and Nutrition Council of America, Chicago, IL. USA.

Indonesian Standard MUI HAS 23103 2012 Guidelines of Halal assurance system criteria on slaughterhouses. Majelis Ulama Indonesia. LPPOM MUI.

- Jerlstrom J 2014 When and what determines the death of an animal? A study investigating the heart activity during slaughter of farm animals. Animal Science Degree Project, Animal Science. Swedish University of Agricultural Sciences. https://stud.epsilon.slu.se/6868/1/Jerlstrom_J_140617.pdf (Accessed, 28/08/2018).
- Kam P & Power I 2012 Principles of physiology for the anaesthetist; Second Edition. Ashford Colour Press Ltd, Gosport, UK, pp1-21
- Kamali MH 2008 Halal industry within Islamic principles. A shari'ah perspective on halal and haram. Part 2. Revisiting the grey area. *The Halal Journal* 40: 36-38
- Lambooij E 1994 Electrical stunning by direct brain stimulation in pigs. *Meat Science* 38: 433-441.
- Laureys S 2005 Death, unconsciousness and the brain. *Nature Reviews Neuroscience* 6: 899-909.
- Malaysian Standard MS1500 2009 Halal food-production, preparation, handling and storage-General guidelines. Department of Standards Malaysia, 1–13.
- Nakyinsige K, Che Man YB, Sazili AQ 2012 Halal authenticity issues in meat and meat products. *Meat Science* 91: 207-214.
- Pernick MS 1988 Back from the Grave: Recurring Controversies over Defining and Diagnosing Death in History. *Death Beyond Whole-Brain Criteria* 31: 17-74
- Plum F, Posner JB 1972 The Diagnosis of Stupor and Coma, Edition 2: Contemporary Neurology Series. Philadelphia: F.A. Davis; 231.
- Raj ABM 2003 A critical appraisal of electrical stunning in chickens. *World's Poultry Science Association* 59: 89-98.
- Regenstein JM, Chaudry MM, and Regenstein CE 2003 The kosher and halal food laws: *Comprehensive Review in Food Science and Food Safety* 2: 111-127.

Robins A, Pleiter H, Latter M, and Phillips CJC 2014 The efficacy of pulsed ultrahigh current for the stunning of cattle prior to slaughter. *Meat Science* 96: 1201-1209.

Rosen SD 2004 Physiological insights into Shechita. *The Veterinary Record* 154: 759-765.

Saposnik G, Basile VS, & Young GB 2009 Movements in brain death: A systematic review. *The Canadian Journal of Neurological Sciences* 36: 154–160.

Terlouw C, Bourguet C, and Deiss V 2016a. Consciousness, unconsciousness and death in the context of slaughter. Part I. Neurobiological mechanisms underlying stunning and killing. *Meat Science*, 118: 133-146.

Terlouw C, Bourguet C, and Deiss V 2016b Consciousness, unconsciousness and death in the context of slaughter. Part II. Neurobiological mechanisms underlying stunning and killing. *Meat Science* 118: 1147-156.

Wertheimer P, Jouvett M, and Descotes JA 1959 A propos du diagnostic de la mort du système nerveux dans les comas avec arrêt respiratoire traités par respiration artificielle. *Press Medical* 67: 87-88.

Wijdicks EFM 2002 Brain death worldwide. Accepted fact but no global consensus in diagnostic criteria. *Neurology* 58: 20-26.

Wijdicks EFM 2010 The case against confirmatory tests for determining brain death in adults. *Neurology* 75: 77-83.

Wotton SB, Gregory NG, Whittington PE, and Parkman ID 2000 Electrical stunning of cattle. *Veterinary Record* 147: 681-684.

Wotton SB, Zhang X, McKinstry JL, Velarde A, and Knowles TG 2014 The effect of the required current/frequency combinations (EC 1099/2009) on the incidence of cardiac arrest in broilers stunned and slaughtered for the halal market. Peer J Preprints. <https://doi.org/10.7287/peerj.preprints.255v1.suit>

Yaqoob A 2010 Ma'ayee AlHalal Wal Haram. HATTI, Jakarta, Indonesi, p138

Zivotofsky AZ, and Strous RD 2012 A perspective on the electrical stunning of animals: Are there lessons to be learned from human electro-convulsive therapy (ECT)? *Meat Science* 90: 956-961.