Tsiamis, A., Iredale, R., Backhouse, R., Hallett, S., & Hamerton, I. (2019). Liquid Processable, Thermally Stable, Hydrophobic Phenolic Triazine Resins for Advanced Composite Applications. *ACS Applied Polymer Materials*, 1(6), 1458-1465.
<https://doi.org/10.1021/acsapm.9b00212>

Peer reviewed version

Link to published version (if available):
[10.1021/acsapm.9b00212](https://doi.org/10.1021/acsapm.9b00212)

[Link to publication record in Explore Bristol Research](#)
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via ACS at <https://pubs.acs.org/doi/10.1021/acsapm.9b00212> . Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/ebr-terms/>

Liquid processible, thermally stable, hydrophobic phenolic-triazine resins for advanced composite applications.

Aristeidis Tsiamis¹, Robert J. Iredale¹, Robert Backhouse², Stephen R. Hallett¹, Ian Hamerton^{1,}*

¹ Bristol Composites Institute (ACCIS), Department of Aerospace Engineering, School of Civil, Aerospace, and Mechanical Engineering, Queen's Building, University of Bristol, University Walk, Bristol, BS8 1TR, U.K.

² Rolls-Royce plc., P.O. Box 3, Filton, Bristol BS34 7QE, U.K.

** Correspondence to Prof. Ian Hamerton, ian.hamerton@bristol.ac.uk*

Supplementary Data

Figure S1: IR spectra of top and bottom of [1₉₀:2₁₀] blend.

Figure S2: DSC thermograms of selected compounds: **1** (a) and **1₈₅:2₁₅** (b) at different heating rates.