, Fleuren, L. M., Thorat, P., Ercole, A., & Elbers, P. W. G., & Gibbison, B. J. J. (2020). Machine learning in intensive care medicine: ready for take-off? *Intensive Care Medicine*, 2020.
<https://doi.org/10.1007/s00134-020-06045-y>

Peer reviewed version

Link to published version (if available):
[10.1007/s00134-020-06045-y](https://doi.org/10.1007/s00134-020-06045-y)

[Link to publication record in Explore Bristol Research](#)
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via Springer at <https://doi.org/10.1007/s00134-020-06045-y> . Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/ebr-terms/>

Machine learning in intensive care medicine: ready for take-off?

Lucas M. Fleuren, MD (1,2)

Patrick Thorat, MD (1)

Duncan Shillan, MD (3)

Ari Ercole, MD, PhD (4,5)

Paul W.G. Elbers, MD, PhD, EDIC (1,5)

On behalf of the Right Data Right Now collaborators

Right Data Right Now Collaborators

Mark Hoogendoorn, PhD (2)

Ben Gibbison, MD (3)

Thomas L.T. Klausch, PhD (6)

Tingjie Guo, MSc (1)

Luca F. Roggeveen, MD (1,2)

Eleonora L. Swart, PhD (7)

Armand R.J. Girbes, MD, PhD, EDIC (1)

(1) Department of Intensive Care Medicine, Research VUmc Intensive Care (REVIVE), Amsterdam Medical Data Science (AMDS), Amsterdam Cardiovascular Sciences (ACS), Amsterdam Infection and Immunity Institute (AI&II), Amsterdam UMC, location VUmc, VU Amsterdam, The Netherlands

(2) Computational Intelligence Group, Department of Computer Science, VU Amsterdam, The Netherlands

(3) NIHR Bristol Biomedical Research Centre, University of Bristol, Bristol, UK

(4) Division of Anaesthesia, University of Cambridge, Cambridge, United Kingdom

(5) Data Science Section, European Society of Intensive Care Medicine

(6) Department of Epidemiology and Biostatistics, Amsterdam UMC, location VUmc, VU Amsterdam, The Netherlands

(7) Department of Pharmacy, Amsterdam UMC, location VUmc, VU Amsterdam, The Netherlands

In 1986 the world was shaken by the Challenger space shuttle disaster. In the years that followed, the American National Aeronautics and Space Administration (NASA) called for a strategy change in space technology development [1]. Allowing technology to be developed without a specific space program in mind was central to the new strategy [2]. In order to evaluate resulting projects with no direct contribution to a space mission, NASA introduced the general concept of technology readiness levels (TRLs) [3]. These nine levels, adopted by many EU institutions, assess the maturity level of technology and estimate its readiness to fly.

As machine learning is taking flight in the medical domain, intensive care medicine is facing a similar evaluation problem. Despite a surge in innovative models trained on intensive care data[4], it remains unclear which projects could actually make it to the patient's bedside and improve care. We hypothesize that machine learning projects follow a trajectory to the patient's bedside analogous to the way aerospace technology ventures into outer space. Therefore, we set out to translate the NASA technology readiness levels into a clinically applicable scale. We consequently applied the scale to ICU machine learning literature.

A panel of three experienced intensivists in medical data science research (PT, AE, PE) and an associate professor in machine learning (MH) iterated translations of the NASA TRLs into a clinically applicable scale until all unanimously agreed (see Table 1). Three authors (AE, PE, LF) applied the scale to all critical care machine learning papers identified by Shillan et al. in their recent review[4], where each paper was reviewed by at least one intensivist. Articles published before 2008 ($n=55$), pediatric articles ($n=27$), and reviews ($n=2$) were excluded. After an initial random 20 papers were reviewed, all panel members agreed level 3 and 4 be merged into a single 'model development' level. Any discrepancies in the final scoring were adjudicated by two panel members (PE, LF).

The clinical readiness levels for machine learning is presented in Table 1. A total 172 articles were scored, of which 160 articles (93%) scored level 4 or below, 8 articles (5%) validated results on data other than the initial data-split, 2 articles (1%) integrated a model into the workflow without exposing clinicians to the results, and only 2 articles (1%) evaluated models against clinical relevant outcomes. Reports on model integration (level 9) were not found.

No single study design is suited to evaluate all departures of machine learning models into the clinical workflow, and some warrant more extensive testing than others. However, demonstration of model safety and efficacy is paramount for the transition from bench to bedside and to convince clinicians of potential benefits. Although a limitation of the study is that only models found in medical literature were considered, we would expect adequately designed and tested models to be published. The small minority of clinically implemented projects identified here arguably form a large gap to be bridged between bytes and bedside. With the current framework we hope to encourage critical appraisal of machine learning projects in order to estimate their readiness to fly.

Bibliography

1. Héder M (2017) From NASA to EU: The evolution of the TRL scale in Public Sector Innovation. *Innov J* 22:1–23
2. Sadin SR, Povinelli FP, Rosen R (1989) The NASA technology push towards future space mission systems. *Acta Astronaut* 20:73–77. [https://doi.org/10.1016/0094-5765\(89\)90054-4](https://doi.org/10.1016/0094-5765(89)90054-4)
3. Mankins JC (1995) Technology readiness levels
4. Shillan D, Sterne JAC, Champneys A, Gibbison B (2019) Use of machine learning to analyse routinely collected intensive care unit data: A systematic review. *Crit Care* 23:1–11. <https://doi.org/10.1186/s13054-019-2564-9>