



Haglerod, C., Hussain, S., Nakamura, Y., Xia, J., Haug, F.-M. S., Ottersen, OP., Henley, J., & Davanger, S. (2017). Presynaptic PICK1 facilitates trafficking of AMPA-receptors between active zone and synaptic vesicle pool. *Neuroscience*, 344, 102-112.
<https://doi.org/10.1016/j.neuroscience.2016.12.042>

Peer reviewed version

License (if available):
CC BY-NC-ND

Link to published version (if available):
[10.1016/j.neuroscience.2016.12.042](https://doi.org/10.1016/j.neuroscience.2016.12.042)

[Link to publication record on the Bristol Research Portal](#)
PDF-document

This is the accepted author manuscript (AAM). The final published version (version of record) is available online via Elsevier at <http://dx.doi.org/10.1016/j.neuroscience.2016.12.042>. Please refer to any applicable terms of use of the publisher.

University of Bristol – Bristol Research Portal

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/brp-terms/>





Figure 1, Haglerød et al.

A



B




Figure 2, Haglerød et al.




Figure 3, Haglerød et al.




Figure 4 Haglerød et al.




Figure 5 Haglerød et al.