



Machado, R. B., Aguiar, L. M. D. S., & Jones, G. (2017). Do acoustic indices reflect the characteristics of bird communities in the savannas of Central Brazil? *Landscape and Urban Planning*, 162, 36-43.
<https://doi.org/10.1016/j.landurbplan.2017.01.014>

Peer reviewed version

License (if available):
CC BY-NC-ND

Link to published version (if available):
[10.1016/j.landurbplan.2017.01.014](https://doi.org/10.1016/j.landurbplan.2017.01.014)

[Link to publication record on the Bristol Research Portal](#)
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via Elsevier at <http://www.sciencedirect.com/science/article/pii/S0169204617300221>. Please refer to any applicable terms of use of the publisher.

University of Bristol – Bristol Research Portal

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/brp-terms/>

Table 1 – Bird species identified in the Environmental Protection Area of Gama e Cabeça de Veado (EPA) based on digital recordings from 30 sampling points set on the Cerrado (woodland savanna) and gallery forest. Records were made by using Songmeter2 devices (see Methods for details).

| Order | Family | Species | English name | Type of habitat |
|----------------|----------------|-----------------------------------|-----------------------------|------------------------|
| Tinamiformes | Tinamidae | <i>Crypturellus parvirostris</i> | Small-billed Tinamou | cerr |
| | | <i>Rhynchotus rufescens</i> | Red-winged Tinamou | cerr |
| Pelecaniformes | Ardeidae | <i>Syrigma sibilatrix</i> | Whistling Heron | cerr |
| Columbiformes | Columbidae | <i>Patagioenas speciosa</i> | Scaled Pigeon | gf |
| | | <i>Patagioenas picazuro</i> | Picazuro Pigeon | cerr |
| | | <i>Patagioenas cayennensis</i> | Pale-vented Pigeon | gf |
| | | <i>Leptotila verreauxi</i> | White-tipped Dove | gf |
| Cuculiformes | Cuculidae | <i>Tapera naevia</i> | Striped Cuckoo | both |
| Apodiformes | Apodidae | <i>Tachornis squamata</i> | Fork-tailed Palm-Swift | cerr |
| | Trochilidae | <i>Amazilia fimbriata</i> | Glittering-throated Emerald | both |
| | | Not identified | Hummingbird | both |
| Coraciiformes | Momotidae | <i>Baryphthengus ruficapillus</i> | Rufous-capped Motmot | gf |
| Galbuliformes | Galbulidae | <i>Galbula ruficauda</i> | Paradise Jacamar | gf |
| | Bucconidae | <i>Nystalus chacuru</i> | White-eared Puffbird | cerr |
| Piciformes | Ramphastidae | <i>Ramphastos vitellinus</i> | Channel-billed Toucan | gf |
| | Picidae | <i>Picumnus albosquamatus</i> | White-wedged Piculet | gf |
| | | <i>Campephilus melanoleucos</i> | Crimson-crested Woodpecker | cerr |
| Cariamiformes | Cariamidae | <i>Cariama cristata</i> | Red-legged Seriema | cerr |
| Falconiformes | Falconidae | <i>Milvago chimachima</i> | Yellow-headed Caracara | cerr |
| Psittaciformes | Psittacidae | <i>Brotogeris chiriri</i> | Yellow-chevroned Parakeet | gf |
| | | <i>Alipiopsitta xanthops</i> | Yellow-faced Parrot | both |
| | | <i>Amazona aestiva</i> | Turquoise-fronted Parrot | both |
| | | <i>Eupsittula aurea</i> | Peach-fronted Parakeet | both |
| | | <i>Ara ararauna</i> | Blue-and-yellow Macaw | cerr |
| | | <i>Diopsittaca nobilis</i> | Red-shouldered Macaw | cerr |
| | | <i>Psittacara leucophthalmus</i> | White-eyed Parakeet | both |
| Passeriformes | Thamnophilidae | <i>Thamnophilus torquatus</i> | Rufous-winged Antshrike | cerr |
| | | <i>Thamnophilus caerulescens</i> | Variable Antshrike | gf |

| Order | Family | Species | English name | Type of habitat |
|-------|-----------------|--|--------------------------------|-----------------|
| | | <i>Herpsilochmus atricapillus</i> | Black-capped Antwren | gf |
| | Melanopareiidae | <i>Melanopareia torquata</i> | Collared Crescentchest | cerr |
| | Furnariidae | <i>Sittasomus griseicapillus</i> | Olivaceous Woodcreeper | gf |
| | | <i>Lepidocolaptes angustirostris</i> | Narrow-billed Woodcreeper | cerr |
| | | <i>Xenops rutilans</i> | Streaked Xenops | gf |
| | | <i>Lochmias nematura</i> | Sharp-tailed Streamcreeper | gf |
| | | <i>Syndactyla dimidiata</i> | Russet-mantled Foliage-gleaner | gf |
| | | <i>Phacellodomus rufifrons</i> | Rufous-fronted Thornbird | cerr |
| | | <i>Synallaxis albescens</i> | Pale-breasted Spinetail | cerr |
| | | <i>Synallaxis frontalis</i> | Sooty-fronted Spinetail | gf |
| | Tyrannidae | <i>Elaenia cristata</i> | Plain-crested Elaenia | cerr |
| | | <i>Elaenina chiriquensis</i> | Lesser Elaenia | cerr |
| | | <i>Camptostoma obsoletum</i> | Southern Beardless-Tyrannulet | cerr |
| | | <i>Suiriri islelorum</i> | Chapada Flycatcher | cerr |
| | | <i>Corythops delalandi</i> | Southern Antpipit | gf |
| | | <i>Todirostrum cinereum</i> | Common Tody-Flycatcher | gf |
| | | <i>Tolmomyias flaviventris</i> | Yellow-breasted Flycatcher | gf |
| | | <i>Platyrhinchus mystaceus</i> | White-throated Spadebill | gf |
| | | <i>Myiophobus fasciatus</i> | Bran-colored Flycatcher | gf |
| | | <i>Myiobius atricaudus</i> | Black-tailed Flycatcher | cerr |
| | | <i>Lathrotriccus euleri</i> | Euler's Flycatcher | gf |
| | | <i>Colonia colonus</i> | Long-tailed Tyrant | gf |
| | | <i>Megarhynchus pitangua</i> | Boat-billed Flycatcher | gf |
| | | <i>Empidonomus aurantioatrocristatus</i> | Crowned Slaty Flycatcher | gf |
| | | <i>Tyrannus melancholicus</i> | Tropical Kingbird | gf |
| | | <i>Myiarchus ferox</i> | Short-crested Flycatcher | gf |
| | Pipridae | <i>Antilophia galeata</i> | Helmeted Manakin | gf |
| | Tityridae | <i>Schiffornis virescens</i> | Greenish Schiffornis | gf |
| | Vireonidae | <i>Cyclarhis gujanensis</i> | Rufous-browed Peppershrike | both |
| | Corvidae | <i>Cyanocorax cristatellus</i> | Curl-crested Jay | cerr |
| | Troglodytidae | <i>Troglodytes aedon</i> | House Wren | cerr |

| Order | Family | Species | English name | Type of habitat |
|-------|----------------|----------------------------------|----------------------------|-----------------|
| | | <i>Cantorchilus leucotis</i> | Buff-breasted Wren | gf |
| | Poliophtilidae | <i>Poliophtila dumicola</i> | Masked Gnatcatcher | gf |
| | Turdidae | <i>Turdus leucomelas</i> | Pale-breasted Thrush | both |
| | | <i>Turdus amaurochalinus</i> | Creamy-bellied Thrush | gf |
| | Thraupidae | <i>Neothraupis fasciata</i> | White-banded Tanager | cerr |
| | | <i>Thlyptosis sordida</i> | Orange-headed Tanager | gf |
| | | <i>Trichothraupis melanops</i> | Black-goggled Tanager | gf |
| | | <i>Eucometis penicillata</i> | Gray-headed Tanager | gf |
| | | <i>Thraupis sayaca</i> | Sayaca Tanager | both |
| | | <i>Thraupis palmarum</i> | Palm Tanager | gf |
| | | <i>Tangara cayana</i> | Burnished-buff Tanager | both |
| | | <i>Hemithraupis guira</i> | Guira Tanager | gf |
| | | <i>Sicalis citrina</i> | Stripe-tailed Yellow-Finch | cerr |
| | | <i>Emberizoides herbicola</i> | Wedge-tailed Grass-Finch | cerr |
| | | <i>Saltator maximus</i> | Buff-throated Saltator | gf |
| | | <i>Saltator similis</i> | Green-winged Saltator | gf |
| | | <i>Volatinia jacarina</i> | Blue-black Grassquit | cerr |
| | | <i>Sporophila nigricollis</i> | Yellow-bellied Seedeater | gf |
| | | <i>Sporophila</i> sp. | Seedeater | gf |
| | | <i>Charitospiza eucosma</i> | Coal-crested Finch | cerr |
| | | <i>Coereba flaveola</i> | Bananaquit | both |
| | Emberizidae | <i>Ammodramus humeralis</i> | Grassland Sparrow | cerr |
| | | <i>Zonotrichia capensis</i> | Rufous-collared Sparrow | both |
| | Cardinalidae | <i>Cyanocompsa brissonii</i> | Ultramarine Grosbeak | gf |
| | Parulidae | <i>Geothlypis aequinoctialis</i> | Masked Yellowthroat | gf |
| | | <i>Setophaga pitiaiyumi</i> | Tropical Parula | gf |
| | Parulidae | <i>Myiothlypis leucophrys</i> | White-striped Warbler | gf |
| | Parulidae | <i>Myiothlypis flaveola</i> | Flavescent Warbler | gf |
| | Parulidae | <i>Basileuterus culicivorus</i> | Golden-crowned Warbler | both |
| | Fringillidae | <i>Euphonia chlorotica</i> | Purple-throated Euphonia | gf |

Observations:

- Names and order are according to Pacheco and Agne (2016)
- gf = gallery forest; cerr = cerrado

Table 1a – Summary of the number of species identified in the sampled habitat type

| Habitat type | Identified species | Non identified species |
|---------------------|---------------------------|-------------------------------|
| Cerrado | 29 | 4 |
| Gallery forest | 46 | 14 |
| Both | 14 | - |

Reference

Pacheco, J. F., Agne, C. E. Q., 2016, Species lists of birds for South America countries and territories: Brazil. Version 15 March 2016.
Available at <http://www.museum.lsu.edu/~Remsen/SACCCountryLists.htm>, American Ornithologists' Union.