



Ryan, A., Keany, S., Eleftheriadou, O., Ballet, R., Cheng, H-Y., & Sim, E. (2014). Mechanism-based inhibition of HsaD: a C-C bond hydrolase essential for survival of *Mycobacterium tuberculosis* in macrophage. *FEMS Microbiology Letters*, 350(1), 42-47.
<https://doi.org/10.1111/1574-6968.12302>

Peer reviewed version

Link to published version (if available):
[10.1111/1574-6968.12302](https://doi.org/10.1111/1574-6968.12302)

[Link to publication record in Explore Bristol Research](#)
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via Oxford University Press at <https://academic.oup.com/femsle/article/350/1/42/555894> . Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/ebr-terms/>

Figure 1:




Figure 2:







Figure 3:



Sup Fig 1.



Sup. Fig. 2



Sup. Fig. 3

Protein	MW predicted /Da	MW actual /Da
HsaD	34039	34045 ±7
HsaD - DCI	34235	34231 ±12