



Nebu, P., Leishman, S. J., Bandara, H. M. H. N., & Walsh, L. J. (2019). Casein Phosphopeptide-Amorphous Calcium Phosphate Attenuates Virulence and Modulates Microbial Ecology of Saliva-Derived Polymicrobial Biofilms. *Caries Research*, 1-7. <https://doi.org/10.1159/000499869>

Peer reviewed version

Link to published version (if available):
[10.1159/000499869](https://doi.org/10.1159/000499869)

[Link to publication record in Explore Bristol Research](#)
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via Karger Publishers at <https://www.karger.com/Article/FullText/499869>. Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available: <http://www.bristol.ac.uk/red/research-policy/pure/user-guides/ebr-terms/>

Table 1. Effect of CPP-ACP on lactic acid production of polymicrobial biofilms

Treatment Group	Lactic acid production (% change) (mM/L)
CPP-ACP	3.6 ± 1.1 (-33)*
Control	5.3 ± 1.2

Lactic acid production data (mean ± SD) is from three independent triplicate experiments.

Values in brackets represent percentage reduction in acid production compared to control.

* indicates significant difference using independent sample-t-test at 95% confidence interval.