



Funk, C., Hoell, A., & Mitchell, D. (2021). Editorial: Climate Science Advances to Address 21st Century Weather and Climate Extremes. *Frontiers in Climate*, 3. <https://doi.org/10.3389/fclim.2021.680291>

Publisher's PDF, also known as Version of record

License (if available):
CC BY

Link to published version (if available):
[10.3389/fclim.2021.680291](https://doi.org/10.3389/fclim.2021.680291)

[Link to publication record on the Bristol Research Portal](#)
PDF-document

This is the final published version of the article (version of record). It first appeared online via Frontiers at <https://doi.org/10.3389/fclim.2021.680291> .Please refer to any applicable terms of use of the publisher.

University of Bristol – Bristol Research Portal

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available: <http://www.bristol.ac.uk/red/research-policy/pure/user-guides/brp-terms/>



Editorial: Climate Science Advances to Address 21st Century Weather and Climate Extremes

Chris Funk^{1*}, Andrew Hoell² and Daniel Mitchell³

¹ Department of Geography, Climate Hazards Center, University of California, Santa Barbara, Santa Barbara, CA, United States, ² NOAA Physical Sciences Laboratory, Boulder, CO, United States, ³ Cabot Institute for the Environment, University of Bristol, Bristol, United Kingdom

Keywords: climate, climate change, climate extremes, climate service, early warning, weather extremes

The Editorial on the Research Topic

Climate Science Advances to Address 21st Century Weather and Climate Extremes

AN OVERVIEW OF THIS ISSUE

The science surrounding weather and climate extremes, and their relationship with climate change, is rapidly expanding, feeding into improved climate services. As co-editors of “*Climate Science Advances to Address 21st Century Weather and Climate Extremes*,” we are proud to share with you these excellent articles that provide valuable advances to our discipline, and come from researchers all over the world. The papers led by Lindsay Johnson and Phuong-Loan Nguyen address, respectively, the development of adequate data resources needed to support drought early warning and the study of precipitation extremes. Johnson et al. “*explore the use of updated drought monitoring tools to analyze data and develop a more holistic drought climatology applicable for New Mexico.*” Nguyen et al. “*use a new high-resolution validation dataset to assess the consistency of the representation of annual daily precipitation maxima over land in 13 observational datasets.*” Focusing on four cities in Ethiopia, Dessu et al. describe how the rapid expansion of built-up areas and sharp declines in green-space may be increasing climatic risk. Harvey et al. examines ways in which climate information was mobilized for use under Future Climate for Africa, and their findings “*revealed the central role of co-production principles in engaging potential users of climate information, regardless of the knowledge mobilization approach being used.*” Finally, the study by Trainer et al., explored “*trends in nearshore domoic acid along the US west coast in recent years, including the recent establishment of a new seed bed of highly-toxic Pseudo-nitzschia,*” and described “*how early warning systems are a useful tool to mitigate the human and environmental health and economic impacts associated with harmful algal blooms.*” All of these articles advance the science of climate services in a warming world, moving us toward a greater capacity to manage future climate risk.

OPEN ACCESS

Edited and reviewed by:

Matthew Collins,
University of Exeter, United Kingdom

*Correspondence:

Chris Funk
chris@geog.ucsb.edu

Specialty section:

This article was submitted to
Climate Services,
a section of the journal
Frontiers in Climate

Received: 14 March 2021

Accepted: 14 May 2021

Published: 22 June 2021

Citation:

Funk C, Hoell A and Mitchell D (2021)
Editorial: Climate Science Advances to
Address 21st Century Weather and
Climate Extremes.
Front. Clim. 3:680291.
doi: 10.3389/fclim.2021.680291

As discussed in Sarah Harrison's excellent article in WIRED¹, studies like "*trends in nearshore domoic acid*" can help motivate and inform effective early warning systems, fostering unique partnerships between scientists and community members.

HOW CONCEPTUAL MODELS CAN INFORM CLIMATE SERVICES

Climate attribution and climate diagnostic studies highlight the mechanisms driving extreme events, and elucidate their potential to increase in intensity and frequency as the Earth warms. This research can, and should, inform the development of 21st century climate services. But while the nuts and bolts of climate science are essential, climate services are also fundamentally cultural; they support distributed non-local communities of practice that act, adapt, mitigate, plan, and respond in coherent ways that allow us to better cope with climate and weather risk. These important sub-cultures typically span many academic disciplines and sectors of society. Spanning these gaps is challenging, and it is therefore useful to consider our work from the lens of cultural anthropology.

Cultural anthropologists study how people who share a common cultural system organize and shape the physical and social world around them, and are in turn shaped by those ideas, behaviors, and physical environments. According to one seminal cultural anthropologist, Clifford Geertz, culture is "*a system of inherited conceptions expressed in symbolic forms by means of which men communicate, perpetuate, and develop their knowledge about and attitudes toward life*" (*The Interpretation of Cultures*, Geertz, 1973). In *Interpretation of Cultures* Geertz introduces the idea that cultures behave coherently by effectively combining "models of the world" and "models for the world." Models "of" the world resemble our numerical models; they attempt to imitate or simulate the world-as-it-is. Models "for" the world, however, imply specific and coherent actions, actions informed by our models "of" the world. So, according to Geertz, the study of hydraulics might help us design a dam. Because human behavior is driven by extrinsic symbolic structures (not just our genes), that it is precisely the interaction of these two distinct types of models that makes human culture possible.

But what is exciting, and challenging, is that today we can no longer afford to rely on "*inherited conceptions*." In the face of climate change, more and more scientists are realizing that they need to actively participate in culture "fabrication." In addition to algorithms, numerical models, datasets and simulations, we can help co-create coherent systems for early action. But an important component such systems is clear thinking, the development of crisp conceptual models. To be truly successful climate services need to combine accurate and representative models "of" the world with appropriate and localized models "for" intervention. Stepping back from the science, this editorial briefly discusses the important aspect of how these pieces can fit together when disparate "communities of practice"—like the

oceanographers, health experts and local tribal leaders discussed in Sarah's story (see text footnote 1), work together.

The provision of freely available climate services is a very exciting prospect, a force for good that can help counter two growing threats—climate change and increasing economic disparity. While climate services will not reverse inequality, they can help the communities most vulnerable to extremes. Enhanced early warning systems are one of the most cost-effective approaches² to increasing resilience. Climate information can leap across continents, improving decision-making, early warning systems, and outcomes almost anywhere. As these systems evolve, we will be better together, faster, and more effectively, if we pay attention to the conceptual models that undergird our shared activities.

Climate Services are unique, challenging, exciting, and empowering, precisely because they connect and span many intellectual domains (**Figure 1**). These connections can transform data into wise actions. While the origins of the Data-Information-Knowledge-Wisdom hierarchy is uncertain, it may have originated (Wallace, 2007) in T. S. Eliot's poem "Choruses from the Rock" (Eliot, 1934):

*Where is the Life we have lost in living?
Where is the wisdom we have lost in knowledge?
Where is the knowledge we have lost in information?*

Effective climate services typically involve contributions from overlapping "communities of practice." These collaborations connect technical engineering and science efforts (on the left-hand-side of **Figure 1**) with on-the-ground actions and interventions on the right-hand-side. Going data to information to knowledge to wisdom, we also tend to transition from the general to the specific. On the left-hand-side, we might find an atmospheric model based on universal physical laws or "rocket scientists" who use highly generalized algorithms to translate satellite imagery into precipitation estimates (Kummerow et al., 2015; Skofronick-Jackson et al., 2017; Huffman, 2020). But, as one moves to the right-hand-side in **Figure 1**, we find tailored effective interventions guided by local expertise.

Connecting data providers and responders, we find the sequential contributions of "climate intermediaries." To be actionable, information typically needs to be transformed into impact assessments, answering questions like: "*how might the expected or observed weather or climate conditions affect our crops, water supply, or fire fuels*." This translation can add great value. For example, a recent study of drought warning activities in Malawi, found that what farmers really wanted and needed was agricultural advice, not weather data (Calvel et al., 2020), i.e., knowledgeable actionable guidance, not just data or information.

Shared conceptual frameworks can facilitate effective collaboration and communication across these communities of practice, guiding the translation of data and information into knowledge and appropriate action. For example, the Famine Early Warning Systems Network ([¹<https://www.wired.com/story/a-unique-alliance-could-help-warn-us-of-toxic-algae/>](http://www.</p>
</div>
<div data-bbox=)

²<https://gca.org/reports/adapt-now-a-global-call-for-leadership-on-climate-resilience/>

Where is the Life we have lost in living?

Where is the wisdom we have lost in knowledge?

Where is the knowledge we have lost in information?




FIGURE 1 | A schematic diagram showing how multiple communities of practice can all contribute to effective hazard mitigation, risk management, and capacity-building.

few.net/) identifies severely food insecure populations by developing scenarios³ that analyze household level food economies, but these scenarios use a rigorous multi-agency “food security outlook⁴” process to translate climate information into likely impacts on incomes, food access and food availability.

Yes—we need to translate climate data into information that drives impact models that provide accessible outputs that can support effective actions, and each of those verbs typically manifests as thousands of lines of code and extensive computations, but no, computation alone does not suffice.

The transitions described in **Figure 1** describe a series of coherent social interactions, emergent collaborative complex behavior, and when thinking about such structures the climate services community can learn from experts who study how cultures evolve. Seen from this perspective, successful early warning communities are subcultures that evolve to address specific threats, such as drought or food insecurity, and their success depends on translating data into wise action (**Figure 1**) using shared models “for” reality supported by accurate models “of” reality. Hence, such systems spend considerable effort on describing how hazards are detected and defined (Pulwarty and Sivakumar, 2014; Wilhite and Pulwarty, 2017; Funk and Shukla, 2020). Crisp definitions of drought (Wilhite and Glantz, 1985; Svoboda and Fuchs, 2016), and food insecurity (FEWS NET, 2021), can form a shared basis for collaboration and coherent climate services development. But these definitions, and

the associated impact assessments and risk management responses, will be highly location specific—thereby requiring local knowledge.

But climate change is accelerating the need for climate services, and demanding that we have the best possible models “for” early warning. Surveys of extreme events, such as the book “Drought Fire Flood” (Funk, 2021)⁵ can help guide climate service development. Analyses focusing on the new science of climate change attribution evaluate how climate change may or may not contribute to extreme events. Such studies can also provide search patterns, or models “for” hazards that can guide prediction and monitoring (i.e., a, b, c, d, e). For example, many studies have suggested that climate change will produce more frequent extreme El Niño and La Niña events. For La Niñas, it turns out that numerical models “of” the climate can predict these conditions very early, in June⁶, providing a very valuable opportunity for early warning, predicated on a conceptual model “for” climate change impacts built around the assumption that extreme sea surface temperatures will provide a solid foundation for forecasting. Given that ENSO is the leading component of seasonal forecasting skill, linking our successful model “of” the climate to models “for” early action can help us move effectively from data to information to wise interventions (**Figure 1**). But there are as many opportunities for effective climate services as there are categories of climate impacts. Our age offers us many exciting opportunities to contribute to the production of data, information, knowledge, and wise action.

³<https://few.net/our-work/our-work/scenario-development>

⁴<https://public.wmo.int/en/resources/bulletin/how-climate-forecasts-strengthen-food-security>

⁵<https://www.cambridge.org/core/books/drought-flood-fire/96E0EB1519F5175B68079D294D0B0E93>

⁶<https://blog.chc.ucsb.edu/?p=757>

These contributions are helping us cope with an increasing hazardous world.

AUTHOR CONTRIBUTIONS

All authors listed have made a substantial, direct and intellectual contribution to the work, and approved it for publication.

REFERENCES

- Calvel, A., Werner, M., Van den Homberg, M., Cabrera Flamini, A., Streefkerk, I., Mittal, N., et al. (2020). Communication structures and decision making cues and criteria to support effective drought warning in Central Malawi. *Front. Clim.* 2:16. doi: 10.3389/fclim.2020.578327
- Eliot, T. S. (1934). *Choruses From the Rock*. The complete poems and plays of TS Eliot. New York, NY: Harcourt, Brace & World, Inc.
- FEWS NET (2021). *Integrated Phase Classification*. Available online at: <https://fews.net/sectors-topics/approach/integrated-phase-classification>
- Funk, C. (2021). *Drought, Flood, Fire: How Climate Change Contributes to Catastrophes*. Cambridge: Cambridge Press. Available online at: <https://www.cambridge.org/core/books/drought-flood-fire/96E0EB1519F5175B68079D294D0B0E93>
- Funk, C., and Shukla, S. (2020). *Drought Early Warning and Forecasting: Theory and Practice*. Oxford: Elsevier Press.
- Geertz, C. (1973). *The Interpretation of Cultures*, Vol. 5019. New York, NY: Basic Books.
- Huffman, G. J., Bolvin, D. T., Braithwaite, D., Hsu, K. L., Joyce, R. J., Kidd, C. (2020). "Integrated multi-satellite retrievals for the global precipitation measurement (GPM) mission (IMERG)," in *Satellite Precipitation Measurement*, eds K. C. V. Levizzani, D. Kirschbaum, C. Kummerow, K. Nakamura, and F. Turk (Cham: Springer), 343–354. doi: 10.1007/978-3-030-24568-9_19
- Kummerow, C. D., Randel, D. L., Kulie, M., Wang, N. Y., Ferraro, R., Joseph Munchak, S., et al. (2015). The evolution of the Goddard profiling algorithm to a fully parametric scheme. *J. Atmos. Ocean. Technol.* 32, 2265–2280. doi: 10.1175/JTECH-D-15-0039.1

FUNDING

Primary support for this work came from the National Aeronautics and Space Administration (NASA) GPM mission grant #80NSSC19K0686 and the United States Agency for International Development (USAID) cooperative agreement #72DFFP19CA00001 and the Famine Early Warning Systems Network.

- Pulwarty, R. S., and Sivakumar, M. V. (2014). Information systems in a changing climate: early warnings and drought risk management. *Weather Clim. Extremes* 3, 14–21. doi: 10.1016/j.wace.2014.03.005
- Skofronick-Jackson, G., Petersen, W. A., Berg, W., Kidd, C., Stocker, E. F., Kirschbaum, D. B., et al. (2017). The global precipitation measurement (GPM) mission for science and society. *Bull. Am. Meteorol. Soc.* 98, 1679–1695. doi: 10.1175/BAMS-D-15-00306.1
- Svoboda, M., and Fuchs, B. (2016). *Handbook of Drought Indicators and Indices. Integrated Drought Management Tools and Guidelines Series 2. I. D. M. P. (IDMP)*. Geneva: World Meteorological Organization (WMO) and Global Water Partnership (GWP). doi: 10.1201/b22009-11
- Wallace, D. P. (2007). *Knowledge Management: Historical and Cross-Disciplinary Themes*. Exeter: Libraries Unlimited.
- Wilhite, D., and Glantz, M. (1985). Understanding the drought phenomenon: the role of definitions. *Water Int.* 10, 111–120. doi: 10.1080/02508068508686328
- Wilhite, D., and Pulwarty, R. S. (2017). *Drought and Water Crises: Integrating Science, Management, and Policy*. Boca Raton, FL: CRC Press. doi: 10.1201/b22009

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2021 Funk, Hoell and Mitchell. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.